MOROGIUMEZUZSE AutoPote DrochUres autopotbrochure topotorochure2 hure2023autopo otautopotorochul DCDUICE 2023

As used by 13-time Bits Chelses Gild Medal Winner Medvyn Williams (Self Maglesey)

of Anglesey taraaliraalitara

Welcome to AutoPot

From the greenhouse in your garden to acres of commercial glasshouses; AutoPot can provide any grower of any ability with a watering system, large or small, that will far exceed their expectations.

Thanks to the AQUAvalve technology; AutoPot is the only watering system in the world where each individual plant controls their own irrigation and receives fresh nutrient enriched water exactly when they need it.

By consistently meeting the plants requirements, growers using AutoPot achieve even growth across the entire crop.



Why use our watering systems?

- Healthier, heavier yielding plants that receive fresh feed whenever they need it
- No more daily watering, the system can be left unattended for weeks
- All our systems operate without electricity, pumps, timers or mains water

- Proven to be one of the most water efficient irrigation systems worldwide
- Environmentally sustainable, no water is ever lost
- Can be used to grow any crop variety; edible or ornamental
- Adaptable and easily extended in minutes

AutoPot makes growing as simple as it can be... less effort bigger yields

Contents

New Products	4 – 5
AQUAvalve5	6 – 7
1Pot Systems	8 – 9
easy2grow Systems	10 – 11
1Pot XL / FlexiPot Systems	12 – 13
XXL Systems	14 – 15
Tray Systems	16 – 17
Tray2Grow	18 - 19

The Source	20 - 21
CO2 Generator / Rapid Roots	22 - 23
FlexiTank / FlexiTank Pro	24 – 25
AirDome / AirBase	26 - 27
Pot Divider / Strawberry Topper	28
Propagation Lids	29
Propagation Lids	
. •	30 - 31

easy2Propagate	34
AQUAplate	35
AQUAbox	. 36 - 37
CocoMat	38
easy2grow Liquid Feed / Fittings	39
Case Studies	40
Substrate Guide	4
op Tips	.42 – 43





XXI

Know no limits. AutoPot XXL propels you into a new world of horticultural possibility, backed with technology that's proven to make the wildest, most fantastical, most fruitful plants a reality. At last, a power-free watering system for 35 L / 9 gal and 50 L / 13 gal growers that truly satisfies the needs of their plants.

See pages 14-15





AirBase

AirBase is transforming the way AutoPot growers set up. This simple and incredibly effective insert effortlessly optimises root zone drainage and completely removes the need for a pebble base layer in your pot. Gone is the pH stabilisation, the mess, the cost, and the weight of pebbles. Instead you have a quick, clean, reusable base that even features a pop-out centre section for optional AirDome integration.

See page 27





Tray2Grow

Automatic watering at its versatile best, Tray2Grow offers gardeners a multitude of cultivation methods. From grow bags to seed trays, planters to coco slabs, pots to microherbs, Tray2Grow can be configured to suit every conceivable growth stage and plant type.

See pages 18-19



New Products



The Source

A clean, efficient, high-purity nutrient regime that is uncomplicated and unadulterated. Such a thing benefits all plants, grow mediums, and cultivation systems. With that in mind we developed the Source. This comprehensive six-product fertiliser range has been refined through years of testing and use by the UK's leading horticultural universities. That experience, along with decades of our own, has enabled the evolution of these uniquely powerful feeds and biostimulants.





MOTHERNATURE 2 GENERATOR 2

CO₂ Generator

The most productive, efficient, easy-to-use CO2 input on the market bar none. MotherNature's CO2 Generator provides an enormous boost to your Carbon Dioxide-hungry plants, increasing CO2 levels from 400ppm to 800ppm, stimulating prolific growth, delivering huge yields, and lasting 6 months. All of this with on-demand flexibility, with zero mess, and with eco-friendly refills available.

See page 22





Rapid Roots


Strike rate gold. Rapid Roots 100% organic rooting gel fortifies your cuttings with a rich supply of natural plant hormones, vitamins, trace elements, and other nutrients. Completely free from synthetics, this astonishingly effective new product draws its strength from high quality seaweed extracts that also instil hardiness and drought resistance. Rounding it off is the inclusion of humic-rich, uptake-enhancing Leonardite that inspires prolific growth.

See page 23



New Products






Operation



Once the AQUAvalve is positioned in a tray and connected to the water supply and the tap is turned on, water will begin to flow into the tray through the AQUAvalve nozzle. The Inner Float will rise a little but the Top Float will remain in position, keeping the hole sealed on the Main Body and preventing the Inner Float from rising further.



Trapped air inside the Main Body is unable to escape as the silicone in the Top Float is creating a seal on the Main Body, water continues to enter into the tray as the Inner Float is unable to shut off due to the trapped air.



Once the water reaches 20mm / 1" (half way on the AQUAvalve collar) the Top Float will lift allowing the trapped air inside the Main Body to escape and simultaneously the Inner Float will rise and cut off the in coming water.



As the plants consume the nutrient solution the Top Float begins to drop back down re-sealing the hole on the Main Body creating an air tight seal.



The sealing of the Main Body ensures that there is an air tight seal which in turn creates a vacuum inside the Main Body, this prevents the Inner Float from dropping and preventing any further nutrient solution from entering.



Once the nutrient solution drops below the Main Body of the AQUAvalve the surface tension of the water around the AQUAvalve Main Body will break, this can take up to an hour. The vacuum in the Main Body is then released and the Inner Float drops to a position where the inlet can reopen and the filling process begins again.



- When connecting 9mm / 3/8" or 16mm / 1/2" pipe always ensure that the end of the pipe is dipped in hot water first, this will soften the pipe and allow you to connect fittings with ease.
- When using AQUAvalve in modules always ensure that the AQUAvalve is pushed firmly onto the Tee section in the tray
- When potting up, use a small brush to remove any soil stuck to the sides and bottom of the pots before you place them in the tray. This will ensure the tray and AQUAvalve are kept clean and free of floating growing medium.
- Ensure silicones are correctly positioned before use, to adjust use your fingers. The top silicone should always make a parallel seal with the hole beneath.



- Now featuring a 5mm / 1/4" inlet 66% bigger than before
- Faster flow, quicker fill and reduced risk of blockages
- Supplied as standard with all AutoPot Watering Systems and Modules







Suitable for mineral or organic feeding via reservoirs and pipework.

See pages 42-43 for nutrient use tips.

The AQUAvalve5 is supplied with every AutoPot Watering System. Once connected to the water supply, the AQUAvalve5 will control the flow of water to the plants by simple gravity pressure from a reservoir or tank of any size. No pumps, mains water pressure, electricity or timers are required.

The needs of growers are ever-evolving, served by an increasingly diverse range of nutrients. With a 5mm / 1/4" inlet, AQUAvalve5 rises to the challenge of delivering the widest range of nutrients in a faster flow for a quicker fill, maximising system efficiency. Maintenance is reduced and the risk of blockages minimised.

AQUAvalve5 is an exceptionally responsive means of feeding. It opens to supply water to a 20mm / 3/4" depth and then closes. Once the plants have used that supply the AQUAvalve5 reopens to repeat the cycle. No need to second guess plant requirements, compensate for conditions or recalibrate unnecessary pumps or computers. Keep the AQUAvalve5 and the tray it sits in clean, free of obstructions, and soil particles and it will feed and water your plants for many years.

Fittings



For a faster flow AQUAvalve5 utilises 9mm / 3/8" and 16-9mm 1/2"-3/8" fittings and pipework. These parts are supplied as standard with our systems and are available separately, allowing you to create a system of any size.

Upgrade your modules













AQUAvalve5 comes as standard with all AutoPot Watering Systems. What's more AQUAvalve5, 9mm / 3/8" fittings, and 9mm / 3/8" pipe fit pre-2020 AutoPot trays and pots. Simply drop in an AQUAvalve5 Module Accessory Pack.

AQUAvalve5



The 1Pot module is the number one best seller for AutoPot in the UK and performs extremely well in both national and international horticultural markets.


Whatever medium you choose the 1Pot system enables gardeners and growers of all abilities to achieve incredible yields from their plants. The 1Pot System is easily extended and many 15 L / 3.9 gal pots can be linked to a single reservoir. The pots and trays are modular and can be easily spaced apart as plants grow. Once assembled, the reservoir is filled with water and liquid fertiliser (if required), the system will completely take care of all your plant's feeding requirements, providing them with fresh, balanced feed throughout their entire life cycle.

This versatile system can be used in the home, greenhouse, poly-tunnel or garden to feed and water your plants and offers an easy and efficient watering system for all manner of crops whether edible or ornamental.

Accessories + fittings



Dimensions



300mm / 11.8⁻ 15 L / 3.9 gal pot 195mm / 7.7"

260mm / 10.2"

- The 15 L / 3.9 gal pots used in the 1Pot module and the 8.5 L / 2.2 gal pots used in the easy2grow module are interchangeable and can be used in either tray design.
- We recommend using four 1Pot modules per square metre of growing space.

- 1Pot is incredibly versatile. You can develop young plants by combining with propagation lids (p.29), increase plant count per pot using PotDivider (p. 28), and introduce air to your grow media with AirDome (p. 30).
- To optimise root zone drainage combine 1Pot with AirBase (p. 27)

4Pot System with retail box



24Pot System



80Pot System



100Pot System



1Pot System[™] layouts

1Pot Systems are available in a range of size layouts including

1 2

6

1

12

24

36

48

60

80

100

1,000

10,000

The 1Pot System[™] will just keep extending



The easy2grow system is AutoPot's best-selling watering system worldwide. Whether using the easy2grow starter kit in a garden or multiple easy2grow extension kits on a vast commercial scale, this system provides fresh, balanced feed to your plants throughout their entire life cycle.

The 8.5 L / 2.2gal pots and modular 2Pot trays can be used to grow a wide variety of crops and are ideally suited to either short, bushy varieties like herbs or strawberries, or tall growing vine plants, where multiple kits can be placed end on end in a garden, greenhouse or poly-tunnel.


The easy2grow system can be used with a wide range of growing substrates, either traditionally with soil or hydroponically.

Low maintenance, reliable and automated; the easy2grow system allows gardeners to relax, go away on holiday and still be sure of healthy plants and bumper harvests.


Accessories + fittings



Dimensions



575mm / 22.6"



275mm / 10.8¹

245mm / 9.6"

195mm / 7.6"

Tips

- The 8.5 L / 2.2 gal pots used in the easy2grow module and the 15 L / 3.9 gal pots used in the 1Pot module are interchangeable and can be used in either tray design.
- We recommend using three easy2grow modules (6 plants) per square metre of growing space.

- As well as propagation lids (p. 29), PotDividers (p. 28), and AirDomes (p. 30), easy2grow works brilliantly with Strawberry Toppers (p.28) which allow your fruits to hang low for ease of plant care and picking.
 - easy2grow modules are ideal for vine crops. With modules positioned end-to-end, you can create long runs that are easily trained up high wires, maximising the productivity of your floorspace.

easy2grow kit with retail box



easy2grow 40



easy2grow 80



easy2grow 100



easy2grow System™ layouts

easy2grow Systems are available in a range of size layouts including

will just keep extendi

-2

4

6

1

16

20

24

-0

48

6

3O

00

,000

10,000



Developed by AutoPot to meet the demands of the ambitious gardener, featuring a MASSIVE 25 L / 6.6 gal growing capacity the 1Pot XL module is perfect for growers looking to cultivate BIG plants and achieve even BIGGER yields.

The design features a clam-shaped tray to accommodate a circular-based pot. This enables the grower to easily rotate a big plant while the pot is still in the tray.

AutoPot XL FlexiPot Systems take the immense capacity and versatility of the XL Module and incorporate 20 L / 5 gal fabric FlexiPots as a no-extra-cost option.

FlexiPot's porous, BPA-free, lead-free fabric facilitates air pruning which effectively eliminates root circling - giving you bigger plants from smaller pots. This same porosity increases oxygen exchange in the substrate - supercharging growth.


1Pot XL and XL FlexiPot Systems are supplied with all necessary connections and the AQUAvalve5 that controls the water supply to each and every plant in the system, delivering fresh, balanced feed throughout their entire life cycle.

Accessories + fittings










Dimensions

372mm / 14.5" 285mm / 11" 380mm / 15"



- As with all AutoPot Watering Systems, 1Pot XL / XL FlexiPot modules can be linked to create systems of any size. We recommend two XL modules per square metre of growing space.
- XL modules offer an excellent long-term home for plants. To get yours happily established use XL with propagation lids (p. 29).
- AirBase Round (p. 27) helps ensure root zone drainage is optimised in XL Modules. Combine AirBase with AirDome (p. 30) for root zone aeration.
- Thanks to AutoPot's modular design, XL modules can be tightly grouped (4)to maximise lighting efficency in early stages and repositioned to allow plants more space as they develop, with zero disruption to the system.

8Pot XL System



XL FlexiPot 80 System



XL FlexiPot 24 System



100Pot XL System



1Pot XL / XL FlexiPot System™ layouts

1Pot XL / XL FlexiPot Systems are available in a range of size layouts including

2

4

6

8

12

24

48

60

80

100

1,000

10,000

The XL System[™] will just keep extending









An ingenious enlargement of our ever-popular XL module, the XXL accommodates 35 L or 50 L fabric pots. An adaptive collar (available with XXL35 or as a separate) even allows growers to switch between pot sizes as required whilst still using the same tray. XXL35 comes with BPA-free, Lead-free, fabric FlexiPots, XXL50 comes with identically specced 50 L versions.

Big as they are, these fabric pots allow growers to produce even larger plants than they might otherwise see in equivalent sized plastic pots. Air-pruning, facilitated by the porous pot sidewalls, eliminates root circling and creates a root structure which is vastly superior in feeding your plants. The same pot porosity increases oxygen exchange in the substrate - supercharging growth.

Cultivating big plants, whether one or many, requires time and technique. XXL brings ultra-low maintenance, plant-controlled AQUAvalve5 irrigation into the realm of giant growing - giving you the opportunity and head space to hone your horticultural skills.


3D

Accessories + fittings









535mm / 21"

Dimensions







ø 330mm / 13"




ø 390mm / 15.4"

50 L/

13 gal

FlexiPot

440mm / 17.



535mm / 21"



- XXL trays feature a removable overflow plug, making the modules suitable for outdoor growing as well as indoor use.
- If growing indoors leave the overflow plug in place. If growing outdoors remove the overflow plug, allowing any excess water that may accumulate during rainfall to escape.
- If, when growing outdoors, heavy rainfall occurs turn your reservoir off until rain has stopped and the water has been drained / consumed.
- XXL Modules are ideally suited to very large plants that grow vigourously and (4) continuously. We recommend one XXL module per sq. metre of floorspace.
- XXL module trays have been trialled to tremendous effect with 65, 70, and (5) 75 litre / 14.2, 15.4, and 16.5 gallon tree planters in place of fabric pots.

XXL35 8Pot System



XXL35 80Pot System



XXL50 24Pot System



XXL50 100Pot System



XXL35 / XXL50 System[™] layouts

XXL35 / XXL50 Systems are available in a range of size layouts including

1

2

1

6

8

12

24

48

60

80

100

1,000

10,000

The XXL System™ will just keep extending



Auto3 XL offers a compact, flexible growing solution to commercial producers and independent hobby horticulturists alike.

Though it was commercial demands that brought such AutoPot Tray Systems into being, we always believed that the same requirements existed for individual growers everywhere.

Now even homegrowers with limited space can enjoy the benefits of a space-saving, ultra low-maintenance AutoPot Tray System. Auto3 XL packs three 25L / 6.6 gal plastic pots or three 20L / 5 gal fabric FlexiPots into a single tray and lid assembly measuring just over a metre long.



- Compact tray for flexible positioning
- Increased pot count per sq metre / ft
- Ideal for hobby or commercial use





in the substrate and facilitate air-pruning.

Maximise growing space with Auto5 - for truly huge plants. Auto5 allows you to feed up to five 35 L / 9 gal fabric pots with a single AQUAvalve5 - for minimal maintenance.

This is our first multi-pot module to house the 35 L/9 gal FlexiPot - a BPA-free, lead-free container that makes big, healthy, fast-developing stock plants a reality.







T 105mm / 4" Accommodates 35L / 9 gal fabric pots

Perfect for big, fast growing stock plants

 Available with/out pots and fittings

Cultivating with tray systems benefits growers in three key areas:

Growing space

- Maximise your available growing area
- Utilise vertical space without increasing workload
- Ideal for moveable racks and rolling tables

Overheads

- Draws no more water than individual modules
- Requires no plumbing for waste water
- Fewer components equals lower maintenance

Plant health

1210mm / 48"

- · Moulded base minimises standing water
- Use fabric pots with Auto XL FlexiPot
- Lid blocks light and debris from entering tray




Grow what you want, when you want, whilst still enjoying the space and maintenance saving benefits of a Tray System.

Auto8 accommodates both $8.5\ L$ / $2.2\ gal$ and $15\ L$ / $3.9\ gal$ square pots. Interchange at will - no adjustment to the tray is required. You can house plants at various stages of development in the same tray system. Swap plants in and out with ease as needed. Auto8 comes with $8.5\ L$ plastic pots as standard with the option to upgrade to $15\ L$ plastic pots.










- Fit two Auto8 in a 1.2m / 4ft sq area
- Auto8 fits 8.5L / 2.2 gal or 15L / 3.9 gal pots
- Houses plants at all stages



Auto9 XL combines nine 25L / 6.6 gal plastic pots or nine 20L / 5 gal fabric pots and one AQUAvalve in a single Tray System. Vastly reduced maintenance, thanks to the single AQUAvalve, makes Auto9 XL ideal for vertical racking and rolling tables where maintenance access can be a challenge.

Like all AutoPot tray systems it is simple to install and irrigates with zero run-off, negating the requirement for waste water plumbing.









- Multiple Auto9's easily linked
- Ideal for multi-level production



- When positioning ensure the trays are level. The spirit level in the AQUAvalve cover will provide a good indication.
- As with all AutoPot Watering Systems we recommend you use a good, air retentive, free-draining growing media, see our substrate guide on page 41 for details.
- 3 Auto3 and Auto9 XL are available with our 25 L / 6.6 gal XL plastic pots or, BPA-free, lead-free 20L / 5 gal fabric pots as a no-extra-cost option.
 - For superior root zone drainage combine Auto3, Auto8, or Auto9 XL with AirBase (p. 27). AirBase can further be combined with AirDome (p. 26) for growth-stimulating root zone aeration.






Tray2Grow is the completely automated, completely power-free system that offers you five ways to feed and water your plants. Seed trays, small pots, grow bags, micro herbs, and planters, can each be accommodated, making this the most versatile product in the AutoPot range and one of the most versatile irrigation systems period.

Equipped for every eventuality, Tray2Grow includes optional capillary spikes that can be fitted to the inside of the tray. These pierce the underside of a grow bag, allowing you to irrigate the substrate within.

With the spikes removed and capillary matting in place Tray2Grow can take up to four standard sized seed trays, two micro herb trays, any number of bottom-perforated or bio pots, or our capacious 107.5 L / 23.5 gal framed fabric planter. Three guide holes on each side of the tray are provided for garden canes if you're trellising plants and there are three inset spirit levels to help you ensure everything is 100% horizontal.





- Always ensure the surface you're placing your tray on is flat and sound, ideally with reference to a bar spirit level. Avoid setting up on surfaces such as gravel as these aggregates can shift over time.
- If using a grow bag fluff it up to loosen the media and perforate the underside before placing in the tray to improve aeration and drainage.
- If growing outdoors remove the overflow plug, allowing any excess water that may accumulate during rainfall to escape. If heavy rainfall occurs turn your reservoir off until rain has stopped and the water has been drained / consumed. If growing indoors leave the overflow plug in place.
- If using Tray2Grow with pots, trays, or planters always pre-soak the capillary matting and root control sheet before fitting.







water control device sits in a compartment at one end of Tray2Grow. Directing the supply of water from the AQUAvalve5 to your container of choice are a network of channels in the base of the tray. Onto this you place capillary matting which draws irrigation up, through the root control sheet and into the growing container. When using grow bags, strips of capillary matting are laced into the optional spikes. The strips lie in the channels with the spikes pushed into the tray at intervals along its length. If you wish you can also supply nutrient solution via the reservoir. AQUAvalve5 is mineral and organic capable, giving you even greater scope to grow the way you want.

As with all AutoPot Watering Systems, irrigation is controlled by an AQUAvalve5. This power-free

Using Tray2Grow with pots, trays, and planters



A capillary mat is laid onto the base of Tray2Grow and tucked into the two outermost channels. A root control sheet is laid on top, onto which pots, trays, and planters can be placed. Using Tray2Grow with grow bags



Small spikes laced with capillary strips are fitted into the base of Tray2Grow. The spikes pierce the grow bag and draw water up from the tray to irrigate it.

One tray, five uses

Irrigate grow bags or coco slabs with capillary spikes

seed travs

- Irrigate pots, seed trays, or planters on capillary mat
- Gravity-fed, with no electricity required
- No running water, pumps, or timers necessary
- Can be left unattended for weeks

Tray2Grow Dimensions



Tray2Grow Contents

1x Tray2Grow Tray & Lid 3x Circular Spirit Level
1x AQUAvalve5 10x Capillary Spikes
2x 9mm Grommet 1x Capillary Matting
1m of 9mm Pipe 1x Root Control Sheet
16-9mm Click-Fit Filter 4x Seed Trays

1x 9mm Golf Filter 1x Slug Repellent Copper Tape

1x 6mm Overflow Grommet

O Tips

Once your bag, planter, pots, or trays are in place and planted up water them through with a watering can. Allow your plants to take up this water before switching the system on.

Above: Tray2Grow includes capillary spikes

matting for pots trays and planters, plus four

for growing with grow bags and capillary

- 2 In early stages irrigate judiciously. Consider switching Tray2Grow on and off intermittently in order for plants to take up irrigation.
- As grow bags typically include some degree of feed within the grow media it's often best to supply plain water for a few weeks before gradually introducing liquid feeds via the reservoir and pipework.
- If using pots or seed trays always ensure that they have holes on the underside that allow your grow media to be in contact with the root control sheet and matting beneath. This is essential in order for uptake of water and/or nutrients to occur



Pure Plant Nutrition

Go to the Source, for plant nutrition in its purest form. It's a simple concept. Clean, highly concentrated fertilisers for effective, efficient performance. The base nutrients and biostimulants that comprise the Source range rigorously adhere to your plants needs, bringing you improved plant health, increased yield, and greater returns.



Gro A/B Growth Stimulator

Get relentless, rapid, uniform growth with Gro. This beautifully balanced veg stage fertiliser ensures your plants develop fully, remain healthy, and are well suited to heavy harvests.

Always sufficient but never excessive, Gro's ingredients provide a fantastically responsive nutritional regime for all plant types.



Bo A Transmitted

Flo A/B Flower Stimulator

Comprehensive and readily available for uptake, Flo's chelated elements and plant extracted ingredients are calibrated to function both harmoniously and in sequence.

They enhance flower and fruit development, oil production, and sugar concentrations whilst maintaining robust growth.





Origin Root Stimulator

Origin cultivates a rhizosphere that is healthy, ideal for nutrient absorption, and highly conducive to productive growth.

This powerful stimulator helps your plant develop extensive root structures of immense mass that can easily access available moisture and make optimum use of nutrients.





Ready For Anything

Extensively proven by the UK's leading horticultural universities, the Source's pure synergy with plant requirements has produced outstanding results with all growing media and all cultivation systems.

Paired with AutoPot Watering Systems the Source's efficiency is elevated from exceptional to unparalleled.



Alluvium PK Stimulator

An innovative, highly concentrated PK Stimulator for the flowering and fruiting stage with a balanced NPK of 0-18-20.

Featuring a rich, high purity potassium and phosphorus content, Alluvium encourages prolific flowering and produces fruit of unrivalled taste and size.



Elements CalMag Plus

Elements gets you on a roll. This powerful CalMag biostimulant fortifies your plants, keeps vital processes running at full tilt, and encourages rapid, healthy new growth.

A more fully functioning plant is created, capable of ever more vigorous onward development.



Delta Boost Stimulator

Fertile as a river delta, this all-stage Boost Stimulator inspires verdant, vigorous growth and helps produce the heaviest, most flavoursome fruits and flowers imaginable.

Using algal extracts, plant sourced amino acids, natural plant steroids and polyglucosides, Delta fortifies plants against pests and diseases.









Increase carbon dioxide concentration in your growing environment to more than double the normal PPM with the MotherNature CO2 Generator.

Designed to operate in sealed grow room spaces such as greenhouses or horticultural tents, the CO2 Generator is ideal for fast-growing, carbon dioxide-hungry crops. Plants grown in a concentrated CO2 environment are proven to grow faster, thrive in higher temperatures, and bear bigger, better fruits and flowers.

The pump attached to the base of the Generator is designed to be plugged into a lighting timer/relay as the unit is ideally activated in synch with your lighting regime. When your lights come on so does your CO2 Generator - in line with your plant's natural needs. During 'lights-off' periods the Generator switches off and active CO2 producing bacteria come to life within it, re-energising the bucket.

increase C levels by over

CO2 Generator features

- Stimulates vigorous growth
- Proven to increase productivity
- Specially formulated manure
- Activated by natural bacteria

- 6 month lifespan*
- Eco-friendly refills available
- 5L / 1.35 gal size for 1.2m / 4ft sq
- 10L / 2.7 gal size for 2.4m / 8ft sq

*lifespan may vary according to usage



As CO2 levels of over 1100ppm have no extra effect on plant growth, you only stand to waste your inputs by blindly ramping up concentrations. Armed with readouts from our CO2 Detector you can adjust your inputs to the 1100ppm 'sweet spot' adhered to by experienced growers.



- Use a timer to pulse the CO2 Generator during 'daylight periods' so that it operates for 5-10 mins and then turns off for 60 mins.
- During the 'dark period' your timer should be set to shut the CO2 Generator off. Whilst switched off during 'dark periods' the active CO2 producing bacteria come to life, re-energising the CO2 Generator.
- Route the upper pipe of the Generator into the back of a circulation fan so CO2 is distributed evenly throughout the growing environment.
- Once depleted the natural bacteria and manure inside CO2 Generator can be safety and productively disposed of as an ideal garden fertiliser.
- The bacteria in CO2 Generator are most productive at temperatures of 22°C / 71.5° F. When not in use, store the Generator 15°C / 59°F to preserve the natural bacteria and CO2-producing manure.

RAPID ROOTS



Rapid Roots is an all-natural, 100% organic rooting gel designed to get cuttings and seedlings on the direct route to healthy, structured, swift development. Completely free from potentially harmful synthetics, Rapid Roots draws instead upon extracts of Bladderwrack seaweed. The seaweed is carefully prepared in order to preserve its rich stock of natural plant hormones, vitamins, trace elements, and other nutrients.

Bladderwrack grows in inhospitable intertidal zones of the sea. Its origins imbue the extract with anti-stress properties which are ideal for cuttings and very young plants. Hardiness and drought resistance are instilled from an early stage, predisposing your plants to robustness throughout their lives.

Uptake and transportation of nutrients is accelerated by Rapid Roots added extract of humic-rich Leonardite. By helping your plants feed more quickly and efficiently this mineraloid substance helps boost cell division and stimulates prolific growth.

>>



Above: Bladderwrack extracts provide plants with a rich stock of natural plant hormones, vitamins, trace elements, and other nutrients.



Above: Humic-rich Leonardite enhances uptake, boosting cell division and growth

- > 100% organic
- Packed with natural plant hormones
- Improves drought resistance

- Free from synthetics
- Preserves rich content of extracts
- Features uptake-boosting Leonardite



Dispense Rapid Roots into a small container.



Take your cutting and coat the bottom 2cm of the stem.



Transfer immediately into your rooting media of choice



Place inside a propagator and maintain in moist conditions.

Tip:

Stabilise rockwool cubes to pH 5.5 and soil/peat rooting cubes to pH 5.8 prior to use, allow to drain before adding cuttings.

>>

- When stabilising your media of choice a few drops of Rapid Roots can be added to the soak to enhance the pre-loaded nutrient content.
- When taking cuttings remove 1-2 cm more than is required from the plant, then trim your cutting down at a 45° angle using a scalpel.

>>

If propagating on Tray2Grow (p 18/19) ensure your rooting cube tray is flat based and perforated - allowing the cubes to make contact with the surface of the root control sheet beneath and facilitating uptake.



Struggling to fit a plastic reservoir into your car or home is now a thing of the past! FlexiTanks revolutionise water storage for every gardener, whether on a domestic or commercial scale. These tough, durable-yet-lightweight, fully collapsible reservoirs are available in a wide range of sizes to suit all uses, from 25L/6.6gal to 1000L / 265gal.

FlexiTanks reduce storage and shipping costs and take minutes to assemble, no tools required.

Everything a gardener needs in one compact box. It really couldn't be simpler.





Above: FlexiTank - lightweight, durable, fully collapsible reservoirs that require no tools for assembly.



Available Spring 2023 - tapless FlexiTanks for recirculating systems

FlexiTank features

- Fully collapsible
- Fold away into one compact box
- Lightweight and durable
- Easy to ship and store
- No tools required for assembly
- Fits where other reservoirs cannot go



The 25 & 50 L / 6.6 & 13 gal FlexiTanks allow you to grow almost anywhere. Perfect for hobby and small-scale growers these additions to the FlexiTank range mean that almost no space is now too small for a system.

Dimensions (when filled with water)


















The Revolution Refined. FlexiTank Pro offers even greater scope for growing with AutoPot Watering Systems in extreme climes. The elegance of FlexiTank Pro's reflective and light-tight skin is the embodiment of form and function combined.

The skin beautifully disguises a rugged, fully collapsible design within. Concealed tank supports and internal capacity markings add neat edges to the proven FlexiTank design.
















FlexiTank Pro features

- Reflective and light tight
- Ultra-strong, anti-tip design
- Internal capacity markings
- Attractive retail box packaging



Accessories + fittings

FlexiTank and FlexiTank Pro utilise the same accessories and fittings for easy integration with AutoPot Watering Systems





Dimensions (when filled with water)









Supercharge your plants! The AirDome has been designed to boost growth and yields by increasing the oxygen content in the pot. More oxygen means a healthier root zone and greater uptake of water and nutrient; your plants will grow bigger and yield significantly more.

In AirDome trials with Luffa plants we achieved an increase in yield of 130%! For more common varieties of fruiting plants, you can expect an increase in yields of up to 30%!

The Domes are very simple to use and take less than 30 seconds to assemble. The AirDome is placed at the bottom of the pot, covered with compost and then connected to an air pump.

can increase yields by up to 12()

Place the AirDome in the bottom of the pot and connect to an air pump

The plant grows faster due to the abundance of air around the root zone

AirDome features

Healthier roots

- Faster growth rates
- Greater uptake of water & nutrient
- Bigger yields



To maximize the effectiveness of the AirDome use a 'fluffy' mix, such as 50% good quality compost and 50% perlite. Avoid peat based compost as this will compress, reducing the effectiveness of the AirDome.

*increases vary according to plant type and conditions

- If using AirDomes with large systems, consider using larger pumps that allow you to connect 16mm / 1/2" pipe (standard hosepipe). Mirror your water supply and reduce the pipe to 6mm at each AirDome connection, using AutoPot fittings. Never blow cold air into the root zone, only warm air.
- A cool air temperature of 18-21°C / 65-70°F is required for optimum growth









AirBase Square for 1Pot and easy2grow modules





AirBase Square for 1Pot XL and FlexiPot modules

Give your plants a lift with AirBase. This handy plate fits into the bottom of your pot during set up and allows you to sidestep the use of a pebble layer for drainage. Whilst simple, cheap, and effective, the preparation, pH balancing, and use of pebbles can be a chore. Simply drop AirBase in instead and you're away. This essential addition even features a pop-out centresection allowing for easy, optional integration with AirDome.

AirBase Square will fit our 8.5 L / 2.2 gal and 15 L / 3.9 gal pots, whilst AirBase Round is designed for both 25 L / 6.6 gal pots and 20 L / 5 gal fabric FlexiPots. A beautifully intuitive and effective innovation, AirBase is fabricated from tough ABS plastic making it highly durable and thus extensively reusable.

- Optimises rootzone drainage
- Removes the need for a pebble base layer
- > Saves time and money no need to pH stabilise pebbles
- Designed for easy, optional integration with AirDome



AirBase can be used on its own, placed directly into the base of your pot



Alternatively combine with AirDome



However you use AirBase, make sure the holes are filled to allow for uptake



your grow media of choice



- 1 It is not necessary to force grow media into the holes of the AirBase, simply sprinkling some into the pot and shaking it into place will suffice.
- If using AirBase with AirDome always use an 'open' growing media with a minimum of 50% perlite to maximise aeration. (See p.41).
- (3) AirBase features notched routing especially designed for easy integration with the 6mm / 1/4" air line used by AirDome.
- For increased plant count per pot and an easy-to-use drainage base see PotDivider (p. 28).









Pot Divider

Get more from your modules. PotDivider allows you to multiply your plant count without increasing system size. At a stroke, each of your pots is capable of holding four plants in segregated sections.

Excellent for tight-leaved varieties and for herbs, PotDivider is available in two sizes, one to fit our $8.5\,L/2.2$ gal pots, the other for our $15\,L/3.9$ gal pots. Both those pot sizes are compatible with our 1Pot, easy2grow, and Auto8 modules – meaning the potential number of applications is immense.

PotDivider is perfect for the pre-veg stage, and is equally effective with plants that simply don't require the run of an entire pot. A partitioned base removes the need for a pebble layer in the bottom of the pot. When the time comes Pot Divider lifts out cleanly, bringing your nascent plants with it, making the process of removing plants and repotting an absolute cinch.

strawberry topper



Strawberry Topper

Let your fruits hang low for ease of plant care and picking. Strawberry Topper fits perfectly on the rim of 8.5 L / 2.2 gal pots. This ingenious growers aid allows you to lay your plants side-on. Foliage grows up and fruits hang down. Ideal for modules on elevated racking.









PotDivider Tips:

- It is not necessary to force grow media into the holes of the PotDivider, simply sprinkling some into the pot and shaking it into place will suffice.
- 2 Pot Divider is dishwasher safe.
- (3) Pot Divider is suitable for all substrates.

Strawberry Topper Features

- Unique design where strawberry plants are planted horizontally to allow for easy picking of fruit
- (2) Robust design that can be used time and time again



- A range of propagation lids to cover all plastic pot sizes
- Lids help create humidity in a plants micro environment
- Humidity helps stimulate growth at a critical stage

Propagation Lids

Get it right from the start. We offer a range of propagation lids tailor-made for our pots, designed to be fitted during the crucial early weeks whilst plants are getting established in your system. The lids help to generate the humidity that young plants crave.

Humidity is an essential part of the micro-environment close to leaves. Lack of humidity directly around plants is perhaps the number one cause of poor growth - as leaves curl to protect the plant and transpiration stops.

Your environment, system, and nutrients may be perfect but without local humidity growth can stall. With the help of propagation lids, and the humidity they confer, your plants can quickly take hold, fill out, and enjoy a fantastically sound basis for further vigorous growth.



25 L / 6.6 gal Propagation Lid



15 & 8.5 L / 3.9 & 2.2 gal Propagation Lid



15 & 8.5 L / 3.9 & 2.2 gal Propagation Lid

















1. Lid On With **Vents Closed**

Initially keep vents closed to The lid helps generate humidity young plants crave.



2. Opening The Vents

half open vents.



3. Hardening

Fully open vents to harden off your plant. Once vents are fully opened leave for several days prior to removing the lid.





The Innovative New FlexiPot

AutoPot now offer an expanded range of fabric pots for plants of all sizes. Our 20L/ 5 gal FlexiPots perfectly fit the XL System Module trays. XXL modules are served by 35L / 9 gal or 50L / 13 gal FlexiPots and for those wishing to grow big, healthy, fast-developing stock plants we offer 139L / 37 gal versions - perfect for use in open garden trays with easy2GO and PlantSkirt.

Safe & Tough

Durable, reusable, and constructed using a BPA-free, lead-free material, FlexiPots are certified against off-gassing or leaching. Their beautifully conceived construction features a uniquely rigid base for a fabric pot - keeping your plants upright.

Stronger Healthier Roots

Can your pot shape a stronger, healthier root structure, a structure that maximises your plant's moisture and nutrient uptake? FlexiPot can. FlexiPots achieve this through air-pruning. When root tips reach the porous side of a FlexiPot they are deterred from extending further by the air outside. Secondary feeder roots develop within the pot, creating a fibrous root structure - vastly superior in feeding the plant.

Bigger Plants - Faster Growth


Air-pruning not only improves structure but actively eliminates root circling, making it possible to produce bigger plants from smaller pots. The porosity of the FlexiPot sides also allows improved gas exchange in the substrate. Free to breathe the root zone can see dramatically enhanced oxygen levels - supercharging growth.

Dimensions


















420mm / 16.5"



FlexiPot features:

- BPA-free, lead-free material unlike many other fabric pots.
- A design perfected through extensive use and development.
- Reusable with a life-span that far exceeds that of other fabric pots on the market.

- When growing with fabric pots it is important to monitor humidity the breathability of the fabric pot means the humidity of the growing area may be increased.
- The top of the FlexiPot can be rolled downwards allowing you to reduce pot capacity as required.



- Reflects light and heat
- Specially designed for use in hot environments
- Can help reduce substrate temperatures by 5-10%

WhitePots - Happy Roots, Bigger Fruits!

Protect your plant's root system from high or shifting temperatures with AutoPot WhitePots. The WhitePot reflects extremes of heat away from the root system. By shielding the roots in this way WhitePots help prevent the adverse effects of hot or varying temperatures on a plants growth management.

Growing in WhitePots is a simple and effective way to maintain constant temperatures for your roots allowing your plants to steadily thrive.



As well as assisting with root temperature stability for European growers WhitePots are currently in full commercial use in a number of locales with extreme climates. WhitePots have proven a huge success in Thailand, Saudi Arabia, the US and the Pacific Islands.









WhitePot 25L / 6.6 gal fits an XL Tray





WhitePot 15L / 3.9 gal fits a 1Pot or easy2grow Tray



WhitePot 8.5L 2.2 gal fits a 1Pot or easy2grow Tray

Dimensions









easy2GO Kit in 4 simple steps

- 1 Connect reservoir to the easy2GO Kit
- 2 Place easy2GO Kit on a level tray
- 3 Place your plant pots in the garden tray
- (4) Fill reservoir with water and liquid fertiliser (if required)

Turn any gardening tray into an AutoPot System! The easy2GO Kit will keep your plants automatically irrigated using a simple flat-based tray and reservoir. The easy2GO Kit is placed directly onto the tray along with your potted plants and distributes water to the pots from below.

Ideal for growers looking to use very large pots or simply keep multiple smaller pots irrigated in one tray.

Multiple kits can be linked together from a single reservoir to keep larger volumes of plants watered and the easy2GO Kit can be installed anywhere; in your home, greenhouse, conservatory or balcony.

Going on holiday? The easy2GO Kit is the ultimate watering kit for happy, healthy plants. Unlike other holiday watering kits, the easy2GO Kit provides optimum levels of water to meet the plants requirements - without the need for timers or electricity - ensuring you return from holiday to plants that are thriving.

This inexpensive, flexible system can be assembled in minutes and contains all fittings required to connect to a reservoir of your choice. You simply need a water container with a minimum 30 L / 8 gal capacity and a flat based gardening tray with a minimum depth of 30mm / 1.2".







- Use the spirit level on the AQUAvalve cover to ensure your tray is level.
- Place washed gravel / clay pebbles or similar in the bottom of each pot, to aid drainage.

- Mineral or organic fertilisers may be fed to the easy2GO via your reservoir and pipework see Growers Tips on pages 42-43 for further details on nutrient use.
- Always place easy2GO Kit directly on the trays surface, never sit it on capillary matting.



For ambitious growing. PlantSkirt is a light-tight, heat-reflective shield that protects nutrient solution and substrate when growing in large open trays. Paired with AQUAvalve5, it provides a solution for growing even the largest of plants with AutoPot Watering Systems.

Available individually, or as part of complete kits, our range of PlantSkirts cover trays of 60-100cm / 23.5-40" sq.

Secured around the middle of a pot and around the outer rim of a garden tray, this innovative skirt helps maintain stable temperatures in your substrate and nutrient solution. Heat and light that would otherwise cause nutrient solution to evaporate is reflected onto the plant to its greater benefit and invasion by algae or debris is averted.




Above: Our range of PlantSkirts fit travs from 60cm / 23.5" to 100cm /

40" sq and fit a solid or fabric pot from 35cm / 14" to 27" in diameter.

1

Position your pot centrally in your tray. Fill pot with substrate and pot up plants. Hand water through pot and allow to drain.



Place AQUAvalve PotSock and plate onto the tray. Fit pipe and Elbow Bar to AQUAvalve and place into the AQUAvalve PotSock. Connect the AQUAvalve up to your reservoir.



The PlantSkirt is secured around the middle of the pot and the outer rim of the tray. Secure in place with the Plant-Skirt's drawstrings.



Once the drawstrings are pulled tight the PlantSkirt provides an effective seal preventing light and debris from entering the tray.

PlantSkirt Complete

Kits including tray, fabric FlexiPot, AQUAvalve and fittings



PlantSkirt Complete 100 incl. 100cm / 40" sq tray & 139L / 37gal fabric pot



PlantSkirt Complete 80 incl. 80cm / 31.5" sq tray & 139L / 37gal fabric pot)



PlantSkirt Complete 60 incl. 60cm / 23.5" sq tray & 35L / 9gal fabric pot)

PlantSkirt - Key Qualities:

Prevents risk of algae growth in open trays

Reflects light back onto plants – enhancing growth

Stops the evaporation of nutrient solution

Keeps temperature stable in nutrient solution and substrate





easy2Propagate's size and features deliver entirely new levels of growing potential and plant control.


A cavernous 200mm / 8" lid height offers your plants more headroom than any other single piece propagator lid available giving you greater choice as to when you transplant. Four large, fully adjustable vents allow growers unparalleled scope to fine-tune an environment in which young plants can thrive.

easy2Propagate ties together the proven growing technology of the AutoPot range. Fitted with four 9mm / 3/8" piping ports, it is designed to accommodate an AQUAvalve for easy integration with low maintenance AutoPot Watering Systems. The lid and kit contents slot together in minutes to create a stunningly effective propagator.

Available in four different kit configurations



easy2Propagate Complete



easy2Propagate Extension





easy2Propagate Basic



easy2Propagate Lid

- Control your plants environment to accelerate rooting.
- Water young plants and cuttings with confidence.
- Increase strike rates with large volumes of young plants.
- All easy2Propagate kits and lids fully boxed.
- Ultra-strong lid easy to ship even as a single unit.





FlexiTank dimensions when filled with water

Tips

- Use heat pads under the tray or propagation lights above it to warm the water in the tray and create humidity.
- We recommend a target temperature of 70-80°F / 25-30°C with minimum 80% humidity.

- If you are using raised pots, such as terracotta pots or bonsai pots, a small length of capillary matting can be cut and pushed inside the hole at the bottom of the raised pot. The capillary matting will act as a wick.
- The CocoMats included with easy2Propagate should be treated before use. To do this, place the CocoMat in pH 4.5 water and keep fully submerged to soak for 24-48hrs. Then rinse and use with pH 5.5 water.





AQUAplate simply brings a whole new dimension to your AutoPot Watering System. Everything you need to adapt an AutoPot tray for pure aeroponic growing is contained within the kit. The seamless integration that AQUAplate affords you saves time, expense and allows you to grow in our proven, highly efficient, lowmaintenance irrigation system.

Collar and mesh pot your plants, slot them into the plate and drop into your AutoPot tray and you're growing aeroponically!

In an AutoPot system with AQUAplate plants thrive through only ever receiving fresh irrigation and nutrients unlike recirculating systems.





AQUAplate Circle fits an XL Tray



AQUAplate Square fits 1Pot or easy2grow trays



- Grow free from substrate
- Give plants direct root access to nutrient rich water
- Encourage faster, stronger root development
- Contains all you need to adapt your existing AutoPot system for AQUAplate growing
- Includes PotSock for superior root control
- Simply drops into an AutoPot tray





- Add an airstone to the tray for supercharged growing.
- AQUAplate is the ideal growing environment for quick to harvest plants such as leafy greens.

Water temperature of between 18-21°C / 64-70°F is required when using the AQUAplate




The AQUAbox incorporates the AQUAvalve technology used throughout the AutoPot range and expands it to irrigate a large growing area rather than a single plant pot. Ideal for raised beds, large planters, and allotments, the AQUAbox is placed directly in the ground and distributes water and nutrient to the surrounding soil using capillary matting.

The AQUAbox ensures your plants are watered for days or weeks at a time, making it the perfect low maintenance irrigation solution for weekends away, holidays or year-round watering. As it requires no electricity, pumps, timers, or running water, AQUAbox is also completely fuss-free to install and run. A connection to a reservoir is all that is needed. Water from your reservoir is simply supplied by gravity to the AQUAbox. As the capillary matting is buried beneath the soil your water supply does not evaporate before it reaches the plants, making AQUAbox an incredibly efficient means of irrigation.

There are two products in the AQUAbox range;

AQUAbox Straight is designed for narrow raised beds, planters, and allotments AQUAbox Spyder is designed for larger raised beds and allotments.




- Set Up Tips
- Ensure the AQUAbox is level in the soil by using the circular spirit level in the lid.
- Connect multiple AQUAbox Straights or Spyders to one water supply to irrigate a larger area.

- Ensure each strip of capillary matting slopes away from the AQUAbox at a slight downward gradient.
- Roots will attach themselves to the matting. For best results, replace capillary matting every season.




AQUAbox Straight can be set up with a single strip of capillary matting running in one direction. Alternatively the strip can be cut in two with each strip fitted either side of the AQUAbox, so that they run out in opposite directions. This makes it ideal for narrow raised beds and planters. It's also a perfect solution to low maintenance feeding and watering on allotment plots where space is at a premium.





With AQUAbox Spyder the capillary matting strips radiate out from the AQUAbox in all directions, offering coverage of up to 360°. Alternatively the strips can be attached in a reduced arc so as to concentrate feeding and watering as required. This makes AQUAbox Spyder ideal for wider areas such as raised beds or allotment plots.



Growing Tips

- During early stages of growth it may not be necessary to have all strips 'active', this is especially true in the case of AQUAbox Spyder.
- 2 Strips can easily be 'deactivated', with supply to a given area paused even with the AQUAbox in position and the strips themselves buried.
- To deactivate a strip simply tuck the end of the strip in the AQUAbox up and away from the water supply.
- Deactivated strips can be reactivated as requirements increase, this is especially handy with crops such as tomatoes and pumpkins.



CocoMat is the ideal addition for growers seeking a low maintenance irrigation system. The coco fibres and natural latex in a CocoMat wick all the moisture and nutrients a plant requires! Fill your tray just once and CocoMat will water the plants for up to ten days.

To use simply place the CocoMat into a propagation tray. Lay a Root Control Sheet onto the mat and sit small pots or seed trays on top. CocoMats can be cut to fit any size of tray.

CocoMat is available as:




51cm x 30cm x 3cm / 20" x 12" x 1.2" with Root Control Sheet



58cm x 51cm x 3cm / 23" x 20" x 1.2" without Root Control Sheet

CocoMat in 3 easy steps

- Simply place your CocoMat into a tray
- Fill the tray with water
- Place your seed tray on top and grow!



The CocoMat controls watering by holding and gradually wicking the water to the plants via capillary action.

- When using CocoMats please note that they should be treated before use. Place the CocoMat in pH water and keep fully submerged to soak for 24-48hrs. Then rinse and use with pH 5.5 water
- Irrigate larger trays using multiple CocoMats and Root Control Sheets. CocoMats and Root Control Sheets can be cut to fit any size of tray
- If you are using raised pots, such as terracotta pots or bonsai pots, a small length of capillary matting can be cut and pushed inside the hole at the bottom of the raised pot. The capillary matting will act as a wick.
 - Team your CocoMat with an AutoPot easy2GO to create an automated watering kit!



easy2grow 1-Part liquid feed has been specially formulated to be used with all AutoPot products. During recent trials it outperformed all other 1-Part feed formulations. easy2grow liquid feed is perfect for use with all kinds of vegetables, fruit and plants.

- Simple to use 1 part feed, for all plant types and stages of growth
- Added seaweed
- Minimal sediment build up, ensuring clean lines and piping
- Dilutes extremely well in water
- > Remains mixed and does not separate

easy2grow liquid feed is available in these sizes (Litres)

1 5 20

Fittings

AutoPot provide a wide range of fittings for our products to enable you to create a system to fit your growing space. The entire AutoPot range of kits and systems is now supplied as standard with AQUAvalve5 and with 9mm / 3/8", 9-16mm / 3/8-1/2", and 16mm / 1/2" pipework and fittings. The original AQUAvalve, the 6mm / 1/4" pipework and 6mm / 1/4" fittings previously supplied with AutoPot Watering Systems are still available as spares, as are 16mm-6mm / 1/2-1/4" fittings.



9mm / 3/8" golf filter



16 – 9mm / 3/8-1/2" tee connector



16 – 9mm / 3/8-1/2" cross connector



16mm / 1/2" in-line filter



16 – 9mm / 3/8-1/2" in-line filter



Grommets 19mm / 16mm / 9mm 3/4" / 1/2" / 1/4"

CASE STUDIES

The Oxfordshire Chilli Farm, UK

The Oxfordshire Chilli Farm (Plantasia) have been growing capsicums using AutoPot Watering Systems for over 10 years. AutoPot Systems offer growing solutions to each variety under cultivation. For large 'super-hot' varieties the XL System provides ideal size and adjustability. Habanero and Scotch Bonnets are served by the 1Pot System. Sweet peppers are grown using the high-wire method in easy2grow with 15L / 3.9gal pots instead of the 8.5L / 2.2gal as this suits these capsicums better.





Kunya Beach, Kenya

Kunya Beach Nursery is located in an important horticultural region of Africa. Growers in the area must meet stringent government criteria given the existing demands on resources. AutoPot Watering Systems easily meet these criteria thanks to their water efficiency and power-free operation. For this reason the nursery has attracted a great deal of government and commercial interest. Sustainable horticulture is seen as a great driver for potential local employment. Furthermore the market for affordable, reliable crops is vast and, by utilising such systems, the overheads are minimal.

Medwyn Williams, Wales

A 13-time RHS Chelsea Gold Medallist, Medwyn Williams OBE is rightly famed for immaculately grown vegetables. For him the chief prospects of using AutoPot were savings in time and costs, without concessions on plant health or veg quality. He was also intrigued by the potential of AutoPot to act as a leveller in competition growing. Two years using AutoPot brought about his latest Gold Medal, and confirmed his suspicion; that AutoPot brings the growing of large, exhibition-quality veg onto a level playing field. He predicts that, in future, far more entries on show benches will be AutoPot grown.





Farmcity, Mauritius

Farmcity build modern farms for healthier communities. They've developed an easy-to-operate, modular farm model using AutoPot Watering Systems. Their farming model enables great food to be grown on a commercial scale, completely naturally. One of the principal, current operators of the modular farm is Farmcity Mauritius. As an island, Mauritius faces problems owing it's food import dependency. Using sustainable technology such as ours Farmcity hope to set precedents for reversing outside food dependency worldwide.

SUBSTRATE GUIDE



Soil/Perlite 50 / 50 mix

AutoPot Watering Systems are extremely versatile and can be used with the growing medium / substrate of your choice. Whether growing in soil, coco or hydroponically our systems exceed all expectations.

An ideal substrate for use in AutoPot systems is a 50% mix of perlite with either soil or coco. In growing trials we have cultivated plants in a vast range of substrates from coral to denim and even pumice stone! We are now successfully trialling the systems without media for aeroponic plant growth.

Whatever substrate you decide to use, make sure it provides good capillary action, has a good structure, and is capable of holding an abundance of air within that structure.



Growstones/Coco 50 / 50 mix



Soil/Clay Pebbles 50 / 50 mix



Coco/Perlite 50 / 50 mix



Coco/Clay Pebbles 50 / 50 mix



Rockwool/Clay Pebbles 50 / 50 mix

- Tips
- Always use a good quality soil or coco from a reputable brand.
- AutoPot strongly recommends that Growstones, washed gravel or pH stable clay pebbles should be used at the bottom of each pot to a depth of 1" (25mm), to aid drainage.
- Peat based composts will compress when used in the systems, reducing the oxygen content in the root zone. Mix in perlite or clay pebbles to lighten the compost and improve aeration.
- If using clay pebbles, whether at the bottom of the pot as additional drainage or as part of a mix, they MUST be pH stable. Be aware that certain brands are NOT pH stable and will increase the pH of the water in the tray; this will negatively affect plant growth.

TOP GROWING TIPS

All AutoPot Watering Systems and Modules are supplied with root control. Depending on the system or module, root control may include some combination of PotSock, Root Control Disc (RCD) and Marix Disc.

In the UK, in Canada, and RoW these are used in the following configurations:

1Pot: Marix Disc in the pot, RCD in tray (copper face up)

easy2grow: Marix Disc in the pot, PotSock on base of pot (copper face up)

XL: RCD in pot (copper face down)

XXL35 & 50 / XL FlexiPot: PotSock on base of pot (copper face up)

In the US root control is used in the following configurations:

1Pot: RCD in tray (copper face up)

easy2grow: RCD in the pot, PotSock on base of pot (both copper face up)

XL: RCD in pot (copper face down)

XXL9 & 13 / XL FlexiPot / GeoPot: PotSock on base of pot (copper face up)

To ensure excellent growing results in AutoPot modules we strongly recommend the use of AirBases (p. 27). These rootzone drainage-optimising inserts simply drop into the bottom of the pot before you pot-up. AirBases are a simple, reusable, mess-free, pH-stable alternative to using a layer of clay pebbles or similar in the bottom of the pot.

As an alternative to AirBase, place a 1" (25mm) layer of Growstones, washed gravel or clay pebbles in the bottom of each pot. Then place your substrate of choice on top, pot up and water through. Clay pebbles and Growstones must be pH stabilised before use.

3

If using AirDomes with large systems, consider using larger pumps that allow you to connect 16mm / 1/2" pipe (standard hosepipe). Mirror your water supply and reduce the pipe to 6mm / 1/4 at each AirDome connection, using AutoPot fittings. Never blow cold air into the root zone, only warm air.

4

Growing more than six plants - consider using a larger reservoir and supply the water via 16mm / 1/2" pipe (standard hosepipe) reducing the pipe to 9mm / 3/8" at each AQUAvalve connection, using AutoPot fittings.



Always clean the side and bottom of each pot before you place in the tray, this will remove any soil particles and ensure your system is clean. In turn ensuring your AQUAvalve is kept clean.

6

AutoPot Watering Systems equipped with AQUAvalve5 and 9mm / 3/8" pipe and fittings can be used to feed mineral or organic fertilisers via the reservoir and pipework. Organic fertilisers will require a water pump in the reservoir running for 15 mins every 2 hrs and cleaning of the reservoir, pump, and filter each time the reservoir empties. Flush pipework with plain water every time the reservoir empties.

Once your plants have been potted up, watered through and placed in the tray you must allow them to establish before turning the system on. The amount of time required for this can vary according to plant type, temperature, humidity, pot size, and size of plant. Generally it is between 5-21 days. If you are unsure simply feel the weight of the pot, if heavy then wait a little longer, if light simply turn the system on.

8

Never place an air stone in your reservoir as this can increase the pH of the water, a small water pump will work better but neither is essential.

9

To help keep your pipe work free of sediment build up, ensure you have a tap at the end of your pipework, this should be opened about once a week with the water allowed to drain into a jug or similar for 30 seconds to 1 minute.

10

Always raise your reservoir to a minimum of 150mm (6") above the floor, re-fill your reservoir when there is a 1/3 of the water left... Never let your reservoir run empty.

11

Always use a filter with every reservoir, filters should be checked once a month and cleaned if necessary.

12

Always ensure your AQUAvalve is secured to the tray to prevent it from floating as the water floods the tray, if using AutoPot designed trays simply position the half-moon of the AQUAvalve over the Tee section in the tray and push down firmly. If using the AQUAvalve in a garden tray place an AQUAvalve Cover over the AQUAvalve.

14

Flushing is not necessary with AutoPot, simply re-fill your reservoir with water only and pH balance if necessary and allow the plants to drink water only. This can be undertaken 7-21 days prior to picking your crops.

15

Placing small seedlings directly into the pots is not advisable. Only pot up suitably established plants.



16

Consider placing a humidity dome/lid over each plant when the plants are small and exposed, this will maintain the humidity around the plant speeding up growth.

13

Placing trays on cold concrete floors is not advisable, the water in the tray will be chilled from below and will effect plant growth, consider placing polystyrene, cardboard or similar under each tray to ensure the water temperature in the tray is not affected. Trays can also be raised above the floor if required.

17

In extreme circumstances of over feeding; pour several litres of pH balanced water into the pot and allow it to drain. Restart feeding with half strength nutrient for the 1st week.

www.autopot.co.uk

Available worldwide



manufacturer

Email: mail@autopot.co.uk Web: www.autopot.co.uk



distributor

Email: info@autopot.nl Web: www.autopot.nl



distributor

Email: autopot.france@gmail.com Web: www.autopot.fr

AutoPot Global Ltd

Unit 5, 108 Hawley Lane, Farnborough, Hampshire GU14 8JE, UNITED KINGDOM

Tel: +44 (0)1276 534900

Email: mail@autopot.co.ul Web: www.autopot.co.uk



autopot_global



@AutoPotSystems



autopotuk



distributor

Email: info@autopot.asia Web: www.autopot.asia



distributor

Email: info@autopot-canada.ca Web: www.autopot-canada.ca



distributor

Email: info@autopot-usa.com Web: www.autopot-usa.com



distributor

Email: mail@autopot.es Web: www.autopot.es

